

issuing Date January 5, 2015

Revision Date New

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

Aplicare® Povidone-lodine Solution (10%, For Individual Use)

Other means of identification

Product Code(s)

L-1001

Recommended use of the chemical and restrictions on use

Recommended Use

Broad spectrum topical antiseptic

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

Aplicare Inc.

Supplier Address

550 Research Parkway Meriden, CT 06450

Supplier Phone Number

Phone: 203-630-0500

Emergency telephone number

Emergency Phone Numbers

For Medical Emergencies call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Appearance Dark brown

Physical State Viscous liquid

Odor Faint, characteristic

Precautionary Statements - Prevention

None

<u>Precautionary Statements - Response</u>

None

<u>Precautionary Statements - Storage</u>

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

11% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Harmful to aquatic life with long lasting effects.

Interactions with Other Chemicals

Incompatible with strong alkalis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Welght-%	Trade Secret
Povidone-iodine	25655-41-8	8 - 12	•

4. FIRST AID MEASURES

First aid measures

General Advice

Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation

persists: Get medical advice/attention.

Skin Contact

Wash skin with soap and water.

Inhalation

Remove to fresh air. If symptoms persist, call a doctor.

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and May cause slight eye irritation.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Doctor

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Harsh iodine fumes may be emitted if product is heated to temperatures greater than 80°C.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Avoid contact with eyes.

Environmental Precautions

Environmental Precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety

practice.

Conditions for safe storage, including any incompatibilities

Storage

Do not store at temperatures above 40°C. Keep tightly closed in a dry and cool place.

Keep in properly labeled containers.

incompatible Products

Strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
lodine 7553-56-2	TWA: 0.01 ppm (Inhalable fraction and vapor) STEL: 0.1ppm (Aerosol and vapor)	TWA-Ceiling: 0.1 ppm	IDLH: 2 ppm TWA-Ceiling: 0.1 ppm

ACGIH TLV: American Conference of Governmental Industrial Hyglenists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventliation systems

individual protection measures, such as personal protective equipment

Eye/Face Protection

No special protection required.

Skin and Body Protection

No special protection required.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Viscous liquid
Appearance	Opaque
Color	Dark brown
	Dain brown
Property	Values
На	No data available
Meiting / freezing point	No data available
Boiling point / boiling range	No data available
Flash Point	No data available
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Specific Gravity	~1.04
Water Solubility	Soluble
Solubility in other solvents	No data available
Partition coefficient: n-octanoi/wate	the state of the s
Autoignition temperature	No data available
Decomposition temperature	No data avallable
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidizing Properties	No data available
Other information	
Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available
	· · · · · · · · · · · · · · · · · · ·

Odor Faint, characteristic **Odor Threshold** No information available Remarks/ Method None known None known

10. STABILITY AND REACTIVITY

Reactivity

Incompatible with strong alkalis.

Chemical stability
Stable under recommended storage conditions. Harsh lodine fumes may be emitted if product is heated to temperatures greater than 80°C.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong alkalis.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

information on likely routes of exposure

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation

Product Information

Specific test data for the substance or mixture is not available.

Eye Contact

Specific test data for the substance or mixture is not available.

Skin Contact

Specific test data for the substance or mixture is not available.

ingestion

Specific test data for the substance or mixture is not available.

Component Information

No information available.

information on toxicological effects

Symptoms

May cause redness and tearing of the eyes.

Delayed and Immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

Contains no ingredients listed as a carcinogen.

Reproductive Toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

Carcinogenic potential is unknown.

Target Organ Effects

None known.

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

<u>Contaminated Packaging</u>
Dispose of in accordance with all applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT

Not regulated

TDG

Not regulated

ICAO

Not regulated

IATA.

Not regulated

IMDG/IMO

Not regulated

15. REGULATIONY INFORMATION

Chemical Inventories

TSCA DSL Complies.

Compiles.

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals that are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances that are regulated poliutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances that are regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Disodium phosphate 7558-79-4		х	Х	Х	
Sodium hydroxide 1310-73-2	х	Х	Х	Х	

International Regulations

Canada

WHMIS Hazard Class

Not controlled.

16. OTHER INFORMATION

NFPA

Health Hazards

Flammability 0

Instability 0

Physical and Chemical Hazards

HMIS

Health Hazards

Flammability 0

Physical Hazard

Personal Protection

Prepared By

Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date

New

Revision Note

New

Reference

INT0027/D001

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

#013

Product Name

Neomycin Antibiotic Ointment

Product Use

Topical Antibiotic Ointment

Manufacturer

Water Jel Technologies LLC

50 Broad Street

Carlstadt, New Jersey 07072

Telephone

E-mail Address

201-507-8300 www.waterjel.com

Emergency Telephone

1-800-275-3433

FAX Number

201-507-8325

Issue Date:

06-01-2015

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	Common Name and Synonyms	CAS Number	%_
Neomycin Sulfate	547-47-48-44-44-44-44-44-44-44-44-44-44-44-44-	1405-10-3	Proprietary
Petrolatum		8009-03-8	Proprietary

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview:

This product is regulated by the US FDA as an over-the-counter, monograph drug.

For Consumers, consult the Drug Facts on the package for use directions and warnings information.

Warnings: For External Use Only.

When using this product, avoid contact with the eyes.

Do not use on large areas of the body or on broken, blistered or oozing skin.

Do not use if you are allergic to any of the ingredients.

Stop use and ask a doctor if condition worsens or symptoms persist for more than 7 days.

If swallowed, get medical help or contact a Poison Control Center immediately.

Physical Hazards: Health Hazards:

This mixture does not meet the classification criteria according to OSHA Hazcom 2012.

Environmental Hazards:

This mixture does not meet the classification criteria according to OSHA Hazcom 2012. This mixture does not meet the classification criteria according to OSHA Hazcom 2012.

OSHA Defined Hazards:

This mixture does not meet the classification criteria according to OSHA Hazcom 2012.

Label Elements:

Hazard Symbol: None

Signal Word: None

Hazard Statement: The mixture does not meet the criteria for classification.

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015



Precautionary Statement:

Prevention Response

None required according to OSHA Hazcom 2012.

None required according to OSHA Hazcom 2012. None required according to OSHA Hazcom 2012.

Storage Disposal

None required according to OSHA Hazcom 2012.

Hazards not otherwise

Classified (HNOC):

None known.

Supplemental Information: None.

Route of Entry:

Skin Contact:

May cause irritation, redness, inflammation or dryness.

Skin Absorption:

No adverse conditions expected. Eye Contact:

Direct contact with eyes may cause temporary irritation.

Inhalation:

Not expected due to form.

Ingestion:

May cause irritation of the digestive tract.

SECTION 4: FIRST AID MEASURES

Skin Contact:

Wash off with warm water and soap. Get medical attention if symptoms occur.

Skin Absorption:

No adverse conditions expected.

Eye Contact:

Flush eyes with clear running water for a minimum of 15 minutes; if irritation persists, seek medical

Inhalation:

Remove victim to fresh air.

Ingestion:

Do not induce vomiting due to aspiration hazard. If vomiting should occur, lower head below knees to

avoid aspiration.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable:

NA

Means of Extinction:

Use extinguishing media appropriate for surrounding fire. Use water spray, foam or dry

chemical.

In fires involving large quantities of this product, the use of large streams of water should be

avoided.

Use self-contained breathing apparatus when fighting fires that involve this material.

Flash Point and Method:

Upper Flammable Limit (% by volume):

NA

Lower Flammable Limit (% by volume):

NA

Autoignition Temperature (°C):

Explosion Data – Sensitivity to Impact: Explosion Data – Sensitivity to Static Discharge:

No unusual fire or explosion hazards noted. No unusual fire or explosion hazards noted.

Hazardous Combustion Products:

Carbon oxides. Nitrogen Oxides (NOx).

NFPA Health 0 Fire 1

Reactivity 0

Other NA

SECTION 6: ACCIDENTAL RELEASE MEASURES

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015

Page 2 of 7



Personal precautions, Protective equipment and

Emergency procedures:

Wear appropriate personal protective equipment.

Methods and materials for containment and clean up:

Absorb spill with vermiculite or other inert material, then place in a sealed container for

chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or

confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Environmental Precautions:

Avoid discharge into drains and water sources.

SECTION 7: HANDLING AND STORAGE

Handling Procedures and Equipment:

Keep this and other chemicals out of the reach of children.

Storage Temperature:

Do not store or mix with strong acids or oxidizers. Store at room

temperature.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

ACGIH-TLVs

OSHA-PELs

Form

Petrolatum (CAS 8009-03-8)

Components

5 mg/m3

5 mg/m3

5 mg/m3 TWA

NIOSH

Mist

Biological Limit Values:

No biological Exposure limits noted for the ingredients.

Ventilation and Engineering Controls:

Ensure adequate ventilation.

Personal Protective Equipment:

None required under normal conditions

Hand Protection:

None required under normal conditions.

Eye and Face Protection:

Eye protection, as necessary to prevent excessive contact.

Skin Protection:

None required under normal conditions.

General Hygiene Considerations:

Other Protective Equipment:

Practice safe work habits.

Eye wash stations should be nearby and ready to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015

Page 3 of 7



Appearance: Physical State: Ointment.

Ointment.

Form:

Ointment.

Color:

White to off white.

Odor:

Slightly fatty odor.

pH:

No information available.

Boiling Point:

>200°F closed cup

Melting Point:

No information available.

Flash Point:

N/A

Explosive Properties:

No information available. No information available.

Oxidizing Properties: Specific Gravity:

0.87 insoluble.

Water Solubility: **Partition Coefficient:**

No information available.

Viscosity:

No information available.

Vapor Pressure (mm Hg): Vapor Density (Air=1):

No information available.

Evaporation Rate:

No information available. No information available.

% Volatile:

No information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

The product is stable and non-reactive under normal conditions of use.

Chemical Stability:

Stable at normal conditions.

Possibility of Hazardous Reactions:

Hazardous polymerization does not occur.

Conditions to Avoid:

Extreme heat.

Materials to Avoid Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Strong oxidants and strong acids.

Hazardous Polymerization:

Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Symptoms of Overexposure by Route of Exposure:

The health hazard information provided is for handling this product in an occupational setting.

Effects of Acute and Chronic Exposure:

Acute: The primary health effect that may be experienced in an occupational setting is mild irritation of contaminated skin. Accidental ingestion may be harmful. Although unlikely, irritation can irritate the respiratory system. Eye contact will cause irritation.

Chronic: NE

Target Organs:

Acute: Occupational exposure: Skin.

Chronic: Occupational exposure: Skin.

Inhalation:

Mist may slightly irritate the nose, throat and lungs. Symptoms are generally alleviated upon breathing fresh air.

Skin Contact:

Skin contact may cause burning sensation, stinging, itching and tingling.

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015

Page 4 of 7



Eye Contact:

Eye contact can cause irritation, stinging, redness and tearing.

Ingestion:

Ingestion is not a significant route of occupational overexposure. Acute ingestion of large quantities of this product or chronic ingestion may cause adverse symptoms that may include nausea, vomiting and diarrhea.

Irritancy of the Product:

This product may cause mild to moderate irritation on damaged skin.

Skin Sensitization:

Not expected.

Respiratory Sensitization:

Not expected.

LD50/LC50:

Petrolatum (CAS 8009-03-8)

- · Oral: Not available.
- Dermal: Not available.

Carcinogenicity: Not classified as a human carcinogen by IARC or ACGIH.

Reproductive Toxicity:

<u>Mutagenic/Embryo Toxicity</u>: The components of this product are not reported to cause mutagenic or embryonic effects in humans.

Teratogenicity: Not available.

Reproductive Toxicity: This product is not expected to cause reproductive effects.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is currently available on the effect of this product on plants or animals in the environment. The product may be harmful to contaminated terrestrial and aquatic plant life in large quantities. The following aquatic toxicity data currently available for components of this product:

Not expected to be harmful to aquatic organisms.

Environmental Exposure Controls: Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

No component of this product is known to have ozone depletion potential.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

Collect or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015



DOT Classification: IATA Classification:

Not regulated for Domestic Transport. Not regulated for International Transport.

IMDG Classification:

Not regulated for International Water Transport.

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA (TOXIC SUBSTANCE CONTROL ACT):

Not regulated.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

Not listed.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) 304:

Not regulated.

SARA 311/312 HAZARD CATEGORIES:

Not regulated.

SARA 313 REPORTABLE INGREDIENTS: Not listed.

STATE REGULATIONS:

California Prop 65:

Warning: This product does contain a chemical known to the State of California to cause cancer, birth, or any other reproductive defects.

Neomycin Sulfate USP (CAS 1405-10-3) - internal use only - listed October 1, 1992

New Jersey RTK:

Not listed.

Massachusetts RTK:

Petrolatum (CAS 8009-03-8)

Pennsylvania RTK:

Petrolatum (CAS 8009-03-8)

INTERNATIONAL REGULATIONS:

Country or Region	Inventory Name	Listed
Australia	Australia Inventory of Chemical Substances	Yes
Canada	Domestic Substance List (DSL)	No
Canada	Non-Domestic Substance List (NDSL)	Yes
China:	Inventory of Existing Chemical Substances In China (IECSC)	No
Europe	European List of Notified Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto I	Rico Toxic Substance Control Act (TSCA) Inventory	No

Note:

A "Yes" indicates that all components comply with the inventory requirements administered by the

governing country.

A "No" indicates that one or more components of the product are not listed or exempt from listing on

the inventory administered by the governing country.

SECTION 16: OTHER INFORMATION

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015

Page 6 of 7



Issue Date:

06-15-2015

Version:

01

Disclaimer:

The information provided in this Safety Data Sheet (SDS) is accurate to the best of our knowledge. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or processes.

Name: Neomycin Antibiotic Ointment

Issue Date: 06-01-2015

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific regulrements.			HMIS HAZARD RA	ATING
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH
	FLAMMABILITY	0	1 = SLIGHT	4 = EXTREME
	REACTIVITY	0	2≠ MODERATE	

SAFETEC OF AMERICA

SECTION 1 - PRODUCT / COMPAN	IV IDENITIEICATIO	N		
IDENTITY (AS USED ON LABEL AND LIST)	IDENTIFICATIO			
Benzalkonium Chloride Antiseptic Wipe				Page 1 of 2
MANUFACTURER'S NAME		EMERGENCY TELEPHONE N	UMBER (24 Hours)	
Safetec of America, Inc.		(800) 255-3924		
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR	INFORMATION	
887 Kensington Ave.	Service in the servic	(716) 895-1822	Telecone (III)	
(CITY, STATE AND ZIP CODE)		DATE PREPARED	April 1, 2014	
Buffalo, NY 14215	ICATION	SUPERSEDES	August 13, 2013	AND
SECTION 2 - HAZARDOUS IDENTIF	ICATION			
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE				
SKIN: In case of skin Irritation, discontinue use of the product.				
INHALATION: Not a normal route of exposure. May cause respiratory EYES: May cause irritation.	tract irritation.			
INGESTION: Not a normal route of exposure. May cause stomach dist	tress, nausea or vomiting.			
HEALTH HAZARDS (ACUTE):	Acute N/A			
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOS	SURE: Preexisting skin disorders n	nay become aggravated through pro	olonged exposure.	
SECTION 3 - COMPOSITION/INFOF	RMATION ON INC	GREDIENTS		
HAZARDOUS COMPONENTS		% (wt.)	ACGIH TLV/T	WA/STEL
	CAS#			
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)		(OPTIONAL)	PPM	MG/M³
Ethyl Alcohol	64-17-S	10	1000 (PEL)	1000 (TLV)
Benzalkonlum Chloride	68391-01-5	0.13	None Established	None Established
This product is not known to contain a substance subject to Section 3.	13 of Title III of the Superfund Am	endments and Reauthorization Act	of 1986 (SARA) and 40 CFR 372 at or above minimal ar	nounts.
SECTION 4 - FIRST AID MEASURES				
EMERGENCY AND FIRST AID PROCEDURES				
SKIN: Discontinue use if irritation and redness develop. If condition pe				***************************************
NHALATION: Not a normal route of exposure. If symptoms develop m			The state of the s	
EYES: Flush with cool water. Remove contact lenses, if applicable, and INGESTION: Not a normal route of exposure. Do not induce vomiting.			Obtain medical attention	
	Manager and the same of the sa	riction is disconscious, or is convaising	s. Obtain medical attention.	CONTROL OF CONTROL OF THE CONTROL OF
SECTION 5 - FIRE FIGHTING MEASU				
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS (% Volu	ume in Air for Lowest Flashing		
34.6				4.848
NA EXTINGUISHING MEDIA	1	LEL: NA		L: NA
EXTINGUISHING MEDIA	1			L: NA
EXTINGUISHING MEDIA Treat for surrounding material.				L: NA
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES	ed breathing apparatus.			L: NA
NA EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contains UNUSUAL FIRE AND EXPLOSIVE HAZARDS	ed breathing apparatus.			L: NA
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIrefighters should wear full protective clothing including self containe	ed breathing apparatus.			L: NA
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIrefighters should wear full protective clothing including self containe UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA				L: NA
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self containe UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE				L: NA
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contains UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Keep unnecessary personnel away. Do not touch or walk through spills	MEASURES	LEL: NA	UE	
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spills discard towel.	MEASURES ed material. Do not touch damage	LEL: NA	UE	
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spills discard towel.	MEASURES ed material. Do not touch damage	LEL: NA	UE	
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIrefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STORM Handling: Use good industrial hygiene practices in handling this material.	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children.	LEL: NA ed containers or spilled material unite	UE	
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIrefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STORM Handling: Use good industrial hygiene practices in handling this material.	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children.	LEL: NA ed containers or spilled material unite	UE	
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Keep unnecessary personnel away. Do not touch or walk through spille discard towel. SECTION 7 - HANDLING AND STOR landling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children.	LEL: NA ed containers or spilled material unite	UE	ole away from and upwind of spiil/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIREIGHTERS SHOULD wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED STEPS TO BE TAKEN IN THE STEPS TO	MEASURES ed material. Do not touch damage AGE lal. Keep out of reach of children. S /PERSONAL PRO	ted containers or spilled material united containers or spilled material united containers of the container	uss wearing appropriate protective clothing. Keep people away from incompatible materials.	ole away from and upwind of spill/leak. Plck up and uired
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Frefighters should wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS AS SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED freeps unnecessary personnel away. Do not touch or walk through spille filiscard towel. SECTION 7 - HANDLING AND STOR flandling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved National Control of the Contro	MEASURES ed material. Do not touch damage AGE lal. Keep out of reach of children. S /PERSONAL PRO	ELE: NA ed containers or spilled material units Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION	ess wearing appropriate protective clothing. Keep peop away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes	ole away from and upwind of spill/leak. Plck up and uired
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS AS SECTION 6 - ACCIDENTAL RELEASE SEEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spille ilscard towel. SECTION 7 - HANDLING AND STOR landling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved Na PROTECTIVE GLOVES Ordinarily, none required	MEASURES ed material. Do not touch damage AGE lal. Keep out of reach of children. S /PERSONAL PRO	Ed containers or spilled material union of the container	ess wearing appropriate protective clothing. Keep peopaway from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes	ole away from and upwind of spill/leak. Plck up and uired
EXTINGUISHING MEDIA Freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Frefighters should wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS AS SECTION 6 - ACCIDENTAL RELEASE FREEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Freep unnecessary personnel away. Do not touch or walk through spille Free stopes of the stope of the spille of the spille Free stopes of the stope o	MEASURES ed material. Do not touch damage AGE lal. Keep out of reach of children. S /PERSONAL PRO	ELE: NA ed containers or spilled material units Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION	ess wearing appropriate protective clothing. Keep peopaway from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes	ole away from and upwind of spill/leak. Plck up and uired
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STOR Handling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved No PROTECTIVE GLOVES DIGITALITY OF EQUIPMENT	MEASURES ed material. Do not touch damage AGE lal. Keep out of reach of children. S /PERSONAL PRO	Ed containers or spilled material unless storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES	ess wearing appropriate protective clothing. Keep peopaway from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES TIPEIGHTERS SHOULD WEAR FULL PROCEDURES TIPEIGHTERS SHOULD WEAR FULL PROCEDURES TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED THE STORY OF THE TAKEN IS TO BE TO THE TAKEN IT	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material units Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES firefighters should wear full protective clothing including self contained. SPECIAL FIRE AND EXPLOSIVE HAZARDS ASSECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED teep unnecessary personnel away. Do not touch or walk through spilled iscard towel. SECTION 7 - HANDLING AND STOR landling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS SESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved in ROTECTIVE GLOVES stribinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IS SECTION 9 - PHYSICAL/CHEMICAL IS	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material unless Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained. JINUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED STEPS TO BE TAKEN IF MATER	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	ELE: NA storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIREIGHTERS SHOULD wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED free processary personnel away. Do not touch or walk through spille filiscard towel. SECTION 7 - HANDLING AND STOR flandling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved No PROTECTIVE GLOVES Indinarily, none required SECTION 9 - PHYSICAL/CHEMICAL I FOILING POINT 10.11°C	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material unless storage: Store in a closed container ITECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in the standard industrial hygien in th	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES FIREIGHTERS SHOULD wear full protective clothing including self contained JNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED freeps unnecessary personnel away. Do not touch or walk through spille filiscard towel. SECTION 7 - HANDLING AND STOR flandling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved in PROTECTIVE GLOVES Fordinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IN FORDING POINT 10.11°C (APOR PRESSURE (mm Hg)	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material unless storage: Store in a closed container ECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good SPECIFIC GRAVITY (WATER = No data MELTING POINT	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA freat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES irrefighters should wear full protective clothing including self contained JINUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Greep unnecessary personnel away. Do not touch or walk through spilled iliscard towel. SECTION 7 - HANDLING AND STOR landling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION VIEW PROTECTIVE GLOVES STOTIONATION OF REQUIPMENT OF THE PROTECTIVE CLOTHING OR EQUIPMENT Indicatively, none required SECTION 9 - PHYSICAL/CHEMICAL I SOULLING POINT OILLING POINT OILLING POINT OILLING PRESSURE (mm Hg) to data	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material unless storage: Store in a closed container ITECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in the standard industrial hygien in th	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contains UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED Geep unnecessary personnel away. Do not touch or walk through spille discard towel. SECTION 7 - HANDLING AND STOR Handling: Use good industrial hygiene practices in handling this materia SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved in PROTECTIVE GLOVES Ordinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IS SOILING POINT OUT.11°C VAPOR PRESSURE (mm Hg) Io data VAPOR DENSITY (AIR = 1)	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	ELE: NA Ed containers or spilled material unle Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in SPECIFIC GRAVITY (WATER = No data MELTING POINT Not applicable	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices.	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS VA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STOR. Handling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved in ordinarily, none required DITHER PROTECTIVE CLOTHING OR EQUIPMENT Ordinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IS SOULTIVE GLOVES ORDINARY PROTECTIVE CLOTHING OR EQUIPMENT OR	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	ELE: NA cd containers or spilled material unler Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in the standard in the	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices. Industrial hygiene and safety practice. When using do	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STOR Handling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved N PROTECTIVE GLOVES Ordinarily, none required DTHER PROTECTIVE CLOTHING OR EQUIPMENT Ordinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IS SOLLING POINT 01.11°C (APOR PRESSURE (mm Hg) to data OLUBILITY IN WATER Moderate	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	LEL: NA sed containers or spilled material unle Storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in SPECIFIC GRAVITY (WATER = No data MELTING POINT Not applicable PH No data EVAPORATION RATE (IPA = 1 No data	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices. Industrial hygiene and safety practice. When using do	ole away from and upwind of spiii/leak. Plck up and
EXTINGUISHING MEDIA Treat for surrounding material. SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear full protective clothing including self contained UNUSUAL FIRE AND EXPLOSIVE HAZARDS NA SECTION 6 - ACCIDENTAL RELEASE STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED (seep unnecessary personnel away. Do not touch or walk through spilled discard towel. SECTION 7 - HANDLING AND STOR. Handling: Use good industrial hygiene practices in handling this material SECTION 8 - EXPOSURE CONTROLS RESPIRATORY PROTECTION Where exposure guideline levels may be exceeded, use an approved in PROTECTIVE GLOVES Ordinarily, none required DTHER PROTECTIVE CLOTHING OR EQUIPMENT Ordinarily, none required SECTION 9 - PHYSICAL/CHEMICAL IS BOILING POINT 01.11°C (APPOR PRESSURE (mm Hg) to data (APPOR DENSITY (AIR = 1) to data OLUBILITY IN WATER	MEASURES ed material. Do not touch damage AGE tal. Keep out of reach of children. S PERSONAL PRO	Ed containers or spilled material unless storage: Store in a closed container TECTION VENTILATION EYE PROTECTION Follow standard industrial hygien WORK/HYGIENIC PRACTICES Handle in accordance with good in the standard industrial hygien SPECIFIC GRAVITY (WATER = No data MELTING POINT Not applicable PH No data EVAPORATION RATE (IPA = 1	ess wearing appropriate protective clothing. Keep people away from incompatible materials. LOCAL EXHAUST: Rec MECHANICAL (GENERAL): Yes e practices. Industrial hygiene and safety practice. When using do	ole away from and upwind of spiii/leak. Plck up and

MATERIAL SAFETY DATA SHEET IDENTITY (AS USED ON LABEL AND LIST) Page 2 of 2 Benzalkonium Chloride Antiseptic Wipe Date: April 1, 2014 **SECTION 10 - STABILITY AND REACTIVITY** UNSTABLE STABILITY CONDITIONS TO AVOID STABLE: XXX Do not mix with other chemicals INCOMPATIBILITIES (MATERIALS TO AVOID) Acids. Oxidizers. Caustics HAZARDOUS DECOMPOSITION OR BYPRODUCTS May include and are not limited to: Oxides of carbon, Hydrogen chloride. HAZARDOUS POLYMERIZATION MAY OCCUR CONDITIONS TO AVOID WILL NOT OCCUR: Do not mix with other chemicals. XXX **SECTION 11 - TOXICOLOGICAL INFORMATION** Component analysis - LCSO: N/A

Component analysis - LDS0: N/A

Effects of acute exposure: Non-hazardous by WHMIS/OSHA criteria.

Sensitization: Non-hazardous by WHMIS/OSHA criteria

Chronic Effects: Prolonged or repeated exposure can cause drying, defatting, and dermatitis.

Carcinogenity: Non-hazardous by WHMIS/OSHA criteria

Mutagenity: Non-hazardous by WHMIS/OSHA criteria.

Reproductive Effects: Non-hazardous by WHMIS/OSHA criteria.

Teratogenity: Non-hazardous by WHMIS/OSHA criteria

SECTION 12 - ECOLOGICAL INFORMATION

Component analysis - LCSO: N/A

Component analysis - LD50: N/A

Ecotoxicity: N/A

Environmental Effects: N/A

Aquatic Toxicity: N/A

Persistence / degradability: N/A

Bioaccumulation / accumulation: N/A

Partition coefficient: N/A

Mobility in environmental media: N/A

Chemical fate information: N/A

Other adverse effects: N/A

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

Waste from residues/unused product: N/A

Contaminated Packaging: N/A

SECTION 14 - TRANSPORTATION INFORMATION

PROPER SHIPPING NAME Solids containing flammable liquid, n.o.s. (Ethanol)

HAZARD CLASS/PKG, GRP 4.1/il IATA (non-canister) Special Provision A46

IDENTIFICATION NUMBER UN3175 US DOT (non-canister) Special Provision 47

SECTION 15 - REGULATORY INFORMATION

Canadian Federal Regulation: N/A

US Federal Regulation: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical- Yes

CERCLA (Superfound) reportable quantity - N/A

Superfound Amendments and Reauthorization Act of 1986 (SARA) - N/A

Clean Air Act (CAA) - N/A

Clean Water Act (CWA) - N/A

Safe Drinking Water Act (SDWA) - N/A

Drug Enforcement Agency (DEA) - N/A

Food and Drug Administration (FDA) - N/A

WHMIS classification - N/A

State regulations - N/A inventory Name - N/A

SECTION 16 - OTHER INFORMATION

The Information contained herein is befleved to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

Date Prepared: April 1, 2014



Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Eyewash

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

: Eyewash and/or Skin Flush

1.3. Details of the supplier of the safety data sheet

Eyes-Plus LLC 1825 262nd Street Lomita, CA 90717

T 424-263-5294 - F 310-919-2950

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	Trade Secret	Not classified
Disodium orthophosphate heptahydrate	(CAS No) 7782-85-6	Trade Secret	Not classified
Sodium chloride	(CAS No) 7647-14-5	Trade Secret	Not classified
Phosphoric acid, monosodium salt, monohydrate	(CAS No) 10049-21-5	Trade Secret	Not classified
Glycine, N,N'-1,2-ethariediylbis[N-(carboxymethyl)-, disodium salt, dihydrate	(CAS No) 6381-92-6	Trade Secret	Not classified
Quaternary ammonium compounds, benzyl-C12-18- alkyldimethyl, chlorides	(CAS No) 68391-01-5	Trade Secret	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : No specific first aid necessary for this route of exposure. First-aid measures after skin contact : No specific first aid necessary for this route of exposure.

First-aid measures after eye contact : No specific first aid necessary for this route of exposure. First-aid measures after ingestion : No specific first aid necessary for this route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : None under normal use.

09/26/2014 EN (English US) Page 1

Safety Data Sheet

Symptoms/injuries after skin contact : None under normal use.

Symptoms/injuries after eye contact : None under normal use.

Symptoms/injuries after ingestion : None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard ! None known.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

None.

6.3. Methods and material for containment and cleaning up

For containment No special measures required.

Methods for cleaning up : Wipe with an absorbent material and place in a receptacle for proper disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : No special handling required.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

: None required under normal product handling conditions.

Hand protection

: None required under normal product handling conditions.

Eye protection

: None required under normal product handling conditions.

Skin and body protection

: None required under normal product handling conditions.

Respiratory protection

: None required under normal product handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless

09/26/2014 EN (English US) 2/4

Safety Data Sheet

Odor : Odorless
Odor threshold : No data available
pH : No data available

pH solution : 6.9 - 7.4

Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : 200 °F

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 760 mm Hg
Relative vapor density at 20 °C : No data available
Relative density : No data available

Solubility : Completely soluble in water

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chioride (7647-14-5)	
LD50 oral rat	3 g/kg
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)
ATE US (oral)	3000000.00000000 mg/kg

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified

Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Sodium chioride (7647-14-5)	
LC50 fish 1	5560 - 6080 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 - 469.2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer

: No additional information available

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

In accordance with DOT

Not a dangerous good as defined in transport regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. US State regulations

No additional information available

SECTION 16: Other information

No additional information available

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.			HMIS HAZARD RA	TING	
	HEALTH	2	0 = INSIGNIFICANT	3 = HIGH	
	FLAMMABILITY	3	1 = SLIGHT	4 = EXTREME	
	REACTIVITY	0	2= MODERATE		

	FLAMMABILITY	3	1 = SLIGHT		4 = EXTREME	
SAFETEC OF AMERICA	REACTIVITY	0	2= MODERATE			
SAFETEC OF AIVIERICA						
SECTION 1 DECEMENT / COMPA	NV IDENTIFICATION	DAL				
SECTION 1 - PRODUCT / COMPA IDENTITY (AS USED ON LABEL AND LIST)	NY IDENTIFICATIO	N			n by St.	
Safetec® Sting Relief- Towelette					Page 1 of 2	
MANUFACTURER'S NAME		4.	HONE NUMBER (24 Ho	urs)		
Safetec of America, (nc. ADDRESS (NUMBER, STREET, P.O. BOX)		(800) 255-3924	ER FOR INFORMATION			
887 Kensington Ave.		(716) 895-1822	ER FOR INFORMATION			
(CITY, STATE AND ZIP CODE)		DATE PREPARED		April 2, 2014		
Buffalo, NY 14215		SUPERSEDES		August 13, 2013		
SECTION 2 - HAZARDS IDENTIFIC	Contract of the second					
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSUI SKIN: Prolonged or repeated skin contact may cause mild irritation						
EYES: Brief contact may cause mild irritation; prolonged contact m		ated with redness.				
INHALATION: Brief (minutes) inhalation will not cause adverse effe				ct		
INGESTION: Small amounts swallowed incidental to normal handling			nay cause injury.			
HEALTH HAZARDS (ACUTE): MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXP	Acute effects are possible irritate POSURE: Preexisting skin, eye or re		ecome aggravated through	prolonged exposure		
SECTION 3 - COMPOSITION/INFO			accome aggravates till dagn	prototiged exposure.		
HAZARDOUS COMPONENTS		% (wt.)	OSHA	PEL/STEL	ACGIH TIV	//TWA/STEL
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)	CAS#	(OPTIONAL)	PPM	MG/M³	PPM	MG/M³
Ethyl Alcohol	64-17-5		100	O (PEL)	100	(TLV)
Lidocaine HCi	6108-05-0	2		stablished	· · · · · · · · · · · · · · · · · · ·	stablished
Menthol This product is not known to contain a substance subject to Section	2216-51-5 n 313 of Title III of the Superfund A	mendments and Reauthor		stablished		stablished
SECTION 4 - FIRST AID MEASURE		mendments and neadmon	testion Act of 1980 (SARA)	and 40 CFR 372 at of above mill	maramounts.	
EMERGENCY AND FIRST AID PROCEDURES SKIN: If irritation occurs, flush with clear running water for a minim	num of 15 minutes: if irritation neces	ists seek medical attentio				
EYES: Flush eyes with clear running water for a minimum of 15 min	The state of the s					
INHALATION: If irritation occurs, remove to fresh air and provide or				-1007		77.47
INGESTION: DO NOT induce vomiting; seek immediate medical atte	ention.					
SECTION 5 - FIRE FIGHTING MEAS	SURES					
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS (% Volu	ume in Air for Lowest	Flashing Component)			
15.7°C EXTINGUISHING MEDIA			LEL: 3.3		JEL: 19	
Dry chemicals, alcohol-type or all-purpose foam, CO ₂						
SPECIAL FIRE FIGHTING PROCEDURES					11	
DO NOT enter confine fire space without full bunker gear (Helmet v	with face shield, bunker coats, glove	es and rubber boots. Wea	r NIOSH/MSHA approved se	of contained breathing apparate	is. Cool fire exposed conta	ners with water. A water
spray may be used to dispense vapors; re-ignition is possible. UNUSUAL FIRE AND EXPLOSIVE HAZARDS						
Flammable Ilquid. Concentrated vapors may be flammable						
SECTION 6 - ACCIDENTAL RELEAS	E MEASURES					
STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED)					
Small spills may be flushed with large amounts of water; larger spill		d absorbent for disposal.	000000000000000000000000000000000000000			
SECTION 7 - HANDLING AND STO	RAGE					
Handling: Keep container(s) tightly closed when not in use. Storage:			n. Keep this and other cher	nicals out of reach of children.		
SECTION 8 - EXPOSURE CONTROL	.S/PERSONAL PRO	DTECTION				
RESPIRATORY PROTECTION		VENTILATION		LOCAL EXHAUST: R		
Protective GLOVES		EYE PROTECTION		MECHANICAL (GENERAL): N	0	
Ordinary, none required		Ordinary, none required				
THER PROTECTIVE CLOTHING OR EQUIPMENT		WORK/HYGIENIC PR	ACTICES			
Ordinary, none required		Practice safe work habit	s. Use according to label in:	structions.		
SECTION 9 - PHYSICAL/CHEMICAL	PROPERTIES					
OILING POINT		SPECIFIC GRAVITY (V 0.92	VATER = 1)			
73°F (Based on Ethyl Alcohol) 'APOR PRESSURE (mm Hg)	· · · · · · · · · · · · · · · · · · ·	MELTING POINT				
ot determined		Not applicable				
APOR DENSITY (AIR = 1)		pH				
ot determined		1.				
arrane and a second a second and a second and a second and a second and a second an		Approximately 4.3	/IDA = 1\			
OLUBILITY IN WATER		EVAPORATION RATE	(IPA = 1)		3) 1111 (300.3	
OLUBILITY IN WATER amplete to moderate PPEARANCE AND ODOR						

with the						
MATERIAL SAFETY DATA SHI	PIPE					
IDENTITY (AS USED ON LABEL AND L					Page 2 of 2	
Safetec® Sting Relief- Towelette	1317				Page 2 of 2 Date: April 2, 2014	
SECTION 10 - STABILI	TV AND DEACTIV	/ITV			Date: April 2, 2014	
		/// /				
STABILITY	UNSTABLE:		CONDITIONS	S TO AVOID		
ļ <u>.</u>	STABLE:	XXX	Extreme temp	eratures; sources of ignition	in	
INCOMPATIBILITIES (MATERIALS TO	AVOID)					
Strong oxidizing agents/reducing agents.	VOD OD LIGHT					
HAZARDOUS DECOMPOSITION OR B						
Decomposition will not occur if handled an	d stored properly. Thermal decor	mposition may produc	e carbon monoxide,	small amounts of nitrogen	oxides, halogenated compounds or propionaldehyde n	nay also be formed.
HAZARDOUS POLYMERIZATION	MAY OCCUR:		CONDITIONS	TO AVOID		
	WILL NOT OCCUR:	XXX	None known			
SECTION 11 TOYICO		The same of the latest and the lates	None known	None a		
SECTION 11 - TOXICO	LUGICAL INFOR	VIATION				
Component analysis - LC50; N/A						
Component analysis - LDS0: N/A						
Effects of acute exposure: possible irritation		Schlad Video				9,00
Sensitization: Non-hazardous by WHMIS/O					100-	
Chronic Effects: possible with the ingestion		system. Do not use or	n abraded skin.			
Carcinogenity: Non-hazardous by WHMIS/C						
Mutagenity: Non-hazardous by WHMIS/OSI						
Reproductive Effects: Non-hazardous by WI Teratogenity: Non-hazardous by WHMIS/O:					THE RESERVE TO THE PARTY OF THE	
				19701-117		
SECTION 12 - ECOLOG	SICAL INFORMAT	TION				
Component analysis - LCSO: N/A						
Component analysis - LDSO: N/A						
Ecotoxicity: N/A						
Environmental Effects: N/A			==-			
Aquatic Toxicity: N/A						
Persistence / degradability: N/A					AMINO IN MANAGEMENT WAS A STREET	
Bioaccumulation / accumulation: N/A						
Partition coefficient: N/A				1.7.010		
Mobility in environmental media: N/A						
Chemical fate information: N/A						
Other adverse effects: N/A			SIM.			
SECTION 13 - DISPOSA	AL CONSIDERATI	ONS				
					tact with other products. Refer to "40 CFR Protection o	f Environment Parts 260-299" for complet
waste disposal regulations. Consult your Loc	al, State, or Federal Environment	tal Protection Agency	before disposing of a	ny chemicals.		
Waste from residues/unused product: N/A						
Contaminated Packaging: N/A	0074710111110					
SECTION 14 - TRANSP	ORIATION INFO	RMATION				
PROPER SHIPPING NAME			Solids containin	g flammable liquid, n.o.s.	(Ethanol)	
HAZARD CLASS/PKG. GRP.			4.1 / II	IATA	Special Provision A46	
DENTIFICATION NUMBER			UN317S	US DOT	Special Provision 47	
SECTION 15 - REGULA	TORY INFORMA	TION				
Canadlan Federal Regulation: N/A						
JS Federal Regulation: This product is a "Haz	zardous Chemical" as defined by	the OSHA Hazard Com	munication Standard	l, 29 CFR 1910 1200. All co	mponents are on the U.S. EPA TSCA Inventory List.	
Occupational Safety and Health Administra						
9 CFR 1910.1200 hazardous chemical- Yes			0 ###			
ERCLA (Superfound) reportable quantity - N	N/A					
uperfound Amendments and Reauthorization	on Act of 1986 (SARA) - N/A	- 1100-25-20-20				was a second
lean Air Act (CAA) - N/A						

Clean Water Act (CWA) - N/A Safe Drinking Water Act (SDWA) - N/A

Drug Enforcement Agency (DEA) - N/A

Food and Drug Administration (FDA) - N/A WHMIS classification - N/A

State regulations - N/A

inventory Name - N/A

SECTION 16 - OTHER INFORMATION

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

Date Prepared: April 2, 2014

SECTION 1 - IDENTIFICATION

Name, Address, and Telephone of the Responsible Party

Dyno Nobel Inc.

2795 East Cottonwood Parkway, Suite 500

Salt Lake City, Utah 84121

Phone: 801-364-4800 Fax 801-321-6703

E-Mail: dnna.hse@am.dynonobel.com www.dynonobel.com

Product Identifier Product Name: Superprill Formula: NH4NO3

Other Means of Identification

Synonyms: Superprill™, Prilled Ammonium Nitrate, Industrial Grade LoDAN, Ammonium Nitrate, Industrial Grade

HiDAN, Ammonium Nitrate, Agricultural Grade

Intended Use of the Product

Industrial applications

Emergency Telephone Number

FOR 24 HOUR EMERGENCY, CALL CHEMTREC (USA) 800-424-9300

CANUTEC (CANADA) 613-996-6666

SECTION 2 - HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Ox. Sol. 3 Eve Irrit, 2A

Label Elements

GHS-US Labeling **Hazard Pictograms (GHS-US)** H272 H319



Signal Word (GHS-US)

Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

H272 - May intensify fire; oxidizer

H319 - Causes serious eye irritation

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking

P220 - Keep/Store away from combustible materials, clothing, incompatible materials

SDS #: 1020

Date: 05/15/2015

Supersedes: 03/26/2014

P221 - Take any precaution to avoid mixing with combustibles, organic material, clothing, incompatible materials

P260 - Do not breathe fume, dust.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

P370+P378 - In case of fire: Use water only on AN fires.

P405 - Store locked up.

P501 - Dispose of contents/container according to local, regional, national,

territorial, provincial, and international regulations*

SDS# 1020 Date: 05/15/2015

Page 1 of 8



*Do not perform hot work on contaminated equipment.

Other Hazards

Other Hazards: Aquatic Acute 3 H402

H402 - Harmful to aquatic life

NFORMATION ON INGREDI	ENTS	
Product identifier	% (w/w)	Ingredient Classification (GHS-US)
(CAS No) 6484-52-2	98 - 100	Ox. Sol. 3, H272 Eye Irrit. 2A, H319
	Product identifier	

SECTION 4 - FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: If symptoms occur, go into fresh air and ventilate suspected area. Seek medical attention.

Skin Contact: Remove contaminated clothing. Wash with soap and water followed by rinsing with water. Seek medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if irritation develops or persists. **ingestion:** Rinse mouth. Do NOT induce vomiting. Seek medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Irritation to eyes, skin and respiratory tract.

Inhalation: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larnyx and difficulty breathing.

Skin Contact: May cause skin irritation.

Eve Contact: Causes serious eye irritation.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If ingested, may cause methemoglobenemia – emergency response should treat appropriately, such as by intravenous administration of methylene blue.

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Evacuate the area for 1 mile if ammonium nitrate is involved in a fire. Only water shall be used on ammonium nitrate fires. Dry chemical, foams, steam and smothering devices are not effective and can lead to possible explosion of the ammonium nitrate. General extinguishers may be used on fires not involving the ammonium nitrate such as conveyors, electrical equipment, tires, bearings, general plant equipment or the like when only minimal amounts of ammonium nitrate are present. For large fires use unmanned monitor nozzles if available.

Unsuitable Extinguishing Media: Dry chemical, carbon dioxide, or regular foam.

<u>Special Hazards ArisIng From the Substance or Mixture</u> In intense fires, the ammonium nitrate can melt and detonate from confinement or strong shocks. Evacuation of at least 1 mile is recommended if the ammonium nitrate is involved in a fire.

Fire Hazard: May intensify fire; oxidizer. Will accelerate the burning of other combustibles, resulting in more rapid spread of fire.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Smothering, contact with organic material, or combustible material may cause an explosive situation. **Reactivity:** May cause or intensify fire; oxidizer. May accelerate the burning of other combustible materials. Smothering,

SDS# 1020 Date: 05/15/2015 Page 2 of 8



contact with organic material, or combustible material may cause an explosive situation.

Advice for Firefighters

Precautions for Firefighting: Evacuate the area for 1 mile if ammonium nitrate is involved in a fire. Only fires which are in the initial or beginning stage or those involving minimal amounts of ammonium nitrate in a manufacturing setting or in an area where ammonium nitrate is stored or in vehicles transporting ammonium nitrate should be attacked using manual fire extinguishing methods (fire extinguishers, hose streams, etc.) that require a human operator. If a fire in an area where ammonium nitrate is stored or in vehicles transporting ammonium nitrate progresses beyond the incipient stage or involves the ammonium nitrate, evacuation is required. Fire fighters downwind from a fire should wear self-contained breathing apparatus. Fire fighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves and rubber boots.

Hazardous Combustion Products: Nitrogen oxides. Toxic fumes are released. Carbon oxides (CO, CO₂). Ammonia. Additional Information: If a fire has not reached the ammonium nitrate, cool the ammonium nitrate or container thereof to prevent the fire from reaching it. Ammonium nitrate does not burn by itself and thus needs to be kept separate from combustible materials. Ammonium nitrate is an oxidizer and will significantly increase the burning rate of combustible materials.

When in confinement and in the presence of a strong detonation sources the material can explode when subject to sudden shock, pressure, or high temperatures. Avoid temperatures above 210 C (410 F) which may cause thermal decomposition or explosion, especially in confined or poorly ventilated spaces.

Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections: Refer to section 9 for flammability properties. Not flammable.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing (dust, vapor, mist, gas). Avoid getting in eyes or on skin. Keep away from combustible material.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Avoid generation of dust during clean-up of spills. Use a broom for small spills do not mix with other materials.

Methods for Cleaning Up: Collect spillage for possible reuse. Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Do not take up in combustible material such as: saw dust or cellulosic material. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Smothering, contact with organic material, or combustible material in a fire situation may be an explosive situation. Do not puncture or incinerate container.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, including Any Incompatibilities

Technical Measures: Comply with applicable regulations 29 CFR 1910.109(i).

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store

DYNO Dyno Nobel

away from combustible materials, ignition sources, and incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. halogens (F, Cl, Br, I). Chlorine compounds, chlorinated inorganics (potassium, calcium and sodium hypochlorite) and hydrogen peroxides. Organic materials. Combustible materials.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Exposure Controls

Appropriate Engineering Controls: Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment: Approved safety glasses. Gloves. If insufficient ventilation: wear respiratory protection. Protective clothing when appropriate as indicated by air monitoring or if engineering controls are insufficient.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves. Eye Protection: Approved safety glasses Skin and Body Protection: Not available

Respiratory Protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of

vapor or mist are expected to exceed exposure limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Solid

Appearance : Colorless to off-white prills

Odor Odorless
Odor Threshold : Not available
pH : Not available
Pelative Evaporation Pete (buttlesstand)

Relative Evaporation Rate (butylacetate=1) : Not available
Melting Point : 170 °C (337°F)
Freezing Point : Not available

Boiling Point : 177 - 210 °C Decomposition (350 - 410°F)

Flash Point : Not available **Auto-ignition Temperature** : Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not flammable Lower Flammable Limit : Not available **Upper Flammable Limit** : Not available Vapor Pressure Not available Relative Vapor Density at 20 °C Not available **Relative Density** : Not available

Specific Gravity : 1.72 - 1.00 (Poured bulk density)

Solubility : Soluble in water.

Water: 192 g/100 ml @ 20 °C (68 °F); 118 g/100 ml @ 0 °C (32 °F)

Partition coefficient: n-octanol/water : Not applicable. (inorganic)

SDS# 1020 Date: 05/15/2015

DYNO Dyno Nobel

Viscosity Not available

Explosion Data - Sensitivity to Mechanical Not sensitive to mechanical impact. May be sensitive to supersonic Impact

explosively driven projectile impacts.

Explosion Data - Sensitivity to Static Not sensitive to static discharge.

Discharge

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: May cause or intensify fire; oxidizer. May accelerate the burning of other combustible materials.

Smothering, contact with organic material, or combustible material may cause an explosive situation.

Chemical Stability: May intensify fire; oxidizer.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Extremely high temperatures. Overheating. Open flame. Combustible materials. Sources of

ignition. Incompatible materials.

Strong acids. Strong bases. Strong oxidizers. Halogens. Chlorine compounds, chlorinated incompatible Materials:

inorganics (potassium, calcium and sodium hypochlorite) and hydrogen peroxides.

Hazardous Decomposition Products: Nitrogen oxides. Toxic vapors. Ammonia. Nitric acid

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation. Symptoms/Injuries After Skin Contact: May cause skin irritation. Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Ammonium nitrate (6484-52-2)

	LD50 Oral Rat	2217 mg/kg
	LC50 Inhalation Rat	> 88.8 mg/l/4h
1	ATE CLP (oral)	2217.000 mg/kg body weight

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified

Persistence and Degradability

Superprill

Persistence and Degradability Not established.

SDS# 1020 Date: 05/15/2015

Dyno Nobel

Bioaccumulative Potential		
Superprill		
Bioaccumulative Potential	Not established.	
Ammonium nitrate (6484-52-2		
BCF fish 1	(no bioaccumulation expected)	
Log Pow	-3.1 (at 25 °C)	
Mobility in Soil Not available		
Other Adverse Effects		
Other Information: Avoid release	e to the environment	

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Collect spillage for possible reuse. Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Clean up even minor leaks or spills if possible without unnecessary risk.

SECTION 14 - TRANSPORT INFORMATION

14.1 In Accordance with DOT

Proper Shipping Name : AMMONIUM NITRATE with not more than 0.2% total combustible material, including any

organic substance, calculated as carbon to the exclusion of any other added substance

Hazard Class

5.1

Identification Number

: UN1942

Label Codes

: 5.1

Packing Group **ERG Number**

: 111 : 140



Proper Shipping Name

: AMMONIUM NITRATE

Hazard Class

: 5.1

Identification Number

: UN1942

Packing Group **Label Codes**

: 111

: 5.1

EmS-No. (Fire)

: F-H

EmS-No. (Spillage)

: S-Q



14.3 In Accordance with IATA

Proper Shipping Name

: AMMONIUM NITRATE

Packing Group

Ш

Identification Number

: UN1942

Hazard Class **Label Codes**

: 5

: 5.1

ERG Code (IATA)

: 5L

14.4 In Accordance with TDG

Proper Shipping Name

: AMMONIUM NITRATE with not more than 0.2 per cent combustible substances, including

any organic substance calculated as carbon, to the exclusion of any other added

substance

Packing Group Ш

SDS# 1020 Date: 05/15/2015



Hazard Class
Identification Number
Label Codes

: 5.1 : UN1942 : 5.1



SECTION 15 - REGULATORY INFORMATION

US Federal Regulations

Superprill

SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard

Ammonium nitrate (6484-52-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Ammonium nitrate (6484-52-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Superprill

WHMIS Classification

Class C - Oxidizing Material

Class D Division 2 Subdivision B - Toxic material causing other toxic effects





Ammonium nitrate (6484-52-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Class C - Oxidizing Material

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date

: 05/15/2015

Other Information

: This document has been prepared in accordance with the SDS requirements of the

OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Ox. Sol. 3	Oxidizing solids Category 3
H272	May intensify fire; oxidizer
H319	Causes serious eye irritation

NFPA Health Hazard

: 1 - Exposure could cause irritation but only minor

residual injury even if no treatment is given.

NFPA Fire Hazard

: 0 - Materials that will not burn.

SDS# 1020 Date: 05/15/2015

DYNO Dyno Nobel Page 7 of 8

NFPA Reactivity

3 - Capable of detonation or explosive reaction, but requires a strong initiating source or must be heated under confinement before initiation, or reacts explosively with water.

NFPA Specific Hazard

OX - This denotes an oxidizer, a chemical which can greatly increase the rate of combustion/fire.



Party Responsible for the Preparation of This Document

Dyno Nobel Inc. 2795 East Cottonwood Parkway, Suite 500 Salt Lake City, Utah 84121

Phone: 801-364-4800

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS

SDS# 1020 Date: 05/15/2015



Page 8 of 8



310 E 300 S • Salt Lake City, UT 84111 (801) 569-9090 • www.exuromedical.com

Safety Data Sheet

Product Name: BurnFree® Date prepared: January 2002 Date revised: January 2015

1. Company and Product Identification

Substance or preparation trade name: BurnFree®

Company/undertaking name & address:

BurnFree – A Division of Exuro Medical, LLC 310 E 300 S Salt Lake City, Utah 84111 USA Telephone: 801-569-9090

2. Composition/Information on Ingredients

Chemical Type: Hydrogel (water-based gel) with Preservative System

Proprietary: Yes

Ingredient: Non-Hazardous Ingredients

3. Hazards Identification

Potential Health Effects: No potential health effects.

4. First aid measures

BurnFree is a first aid product for burn injuries and other minor wounds. No special precautions are necessary after contact. However, Burnfree is a water-based gel. Electricity must be shut off before apply water-based gel blanket. Chemical burns must be thoroughly irrigated and flushed before using BurnFree products.

5. Fire fighting measures

Non-Flammable

Suitable extinguishing media: NA Unsuitable extinguishing media: NA

Special hazards in fire: NA

Required special protective equipment for fire fighters: NA

6. Accidental release measures

Personal precautions: Not Required Environmental precautions: NA Methods for cleaning: NA

7. Handling and storage

No special handling or storage requirements.

8. Exposure Controls

Personal protection equipment: Not required

Eye protection: Not required Hand protection: Not required Hygiene measures: Not required

9. Physical and chemical properties

Appearance: Translucent gel Odor: Slight medicinal odor

pH: 5.5 - 7.0

Boiling point: 195 degrees Fahrenheit Melting point: NA

Flashpoint: None Explosive properties: NA Vapor pressure: NA Specific Gravity: 1.02 Solubility in Water: Soluble

10. Stability and reactivity

Stability: Stable Incompatibility: None

Hazardous decomposition products: None

11. Toxicological information

Acute toxicity: Non-toxic

Local effects

Excessive exposure may affect human health as follows:

Skin contact: Irritant level below 5 and therefore classified as non-irritant.

Eye contact: Non-irritant or corrosive to eye.

Inhalation Acute: Non-toxic Inhalation Chronic: Non-toxic

Ingestion: Non-toxic

12. Ecological information

No data available.

13. Disposal Considerations

Biodegradable. Can flush down sewage system. Steps to be taken in case of release: None

14. Transport information

Not listed as hazardous material.

15. Regulatory information

Formulation has been designed/approved for direct application to skin. FDA (510k) Dressings, FDA (510k) Gel. Council Directive 93/42/EEC.

16. Other Information

Recommendations/restrictions: No restrictions.

Label required: No Chronic hazard: No Acute health hazard: No Contact hazard: None Fire hazard: None Reactivity hazard: None